

BTICINO > Smart Home solutions > Connected thermostat Smarther with Netatmo > Connected thermostat flush mounting version



XG8002





Smarther with Netatmo connected thermostat - black finish. Together with the dedicated HOME+CONTROL APP, it allows you to adjust and monitor the temperature in the rooms precisely and accurately; all the programming and most of the functions are performed simply and intuitively using the APP. Thanks to its Wi-Fi connection, Smarther with Netatmo can be programmed and controlled remotely; it can also display the temperature and humidity measured in the room. The temperature level can be set locally for manual operation and the Boost mode can be activated. The Boost forces the switching on of the system for a limited time (30, 60 or 90 minutes) independent of the measured and programmed temperature. It's also possible to set a different temperature in each room of the house for the maximum comfort, thanks to its compatibility with Netatmo's intelligent thermostatic valves. Smarther with Netatmo can also be controlled with Google, Amazon Alexa and Apple Home Kit voice assistants.

Features: - 100 ÷ 240 Vac, 50/60 Hz power supply; - 2 W max absorption; - maximum cable section 1 x 1.5mm²; - temperature measurement 5 ÷ 40°C; - temperature set-point 5 ÷ 40°C, - increase of 0.5°C; - 1-contact output in switching free of potential 5(2)A. Types of installation: - flush mounted, on boxes item 503E or 500 (for item 500 use the wall dowels) - plasterboard, on boxes 2 module e 3 module

Technical features

Max section	1 x 1,5 mm ²
Height	87 mm
Width	126 mm
Length	12,6 mm
Rated voltage	230 Va.c.
Series	Smart Home solutions

Documentation

-  [Technical Data Sheet](#)
-  [Instruction Sheet](#)
-  [User Manual](#)
-  [Smarther with Netatmo Catalogue](#)