




71-3881-14-37



The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies



Click on image to download energy label

Description

LED module with frame needed, which is not included. Download -Accessories- file to see available frames.

TECHNICAL CHARACTERISTICS

Type:	DOWNLIGHT RECESSED
IP Protection degrees:	IP20
Light source 1:	1 x LED Cree max. 13W Warm White - 2700K 1325 Im ^(N) CRI 80
Angle of the optics / Reflector:	40°
Voltage / Frequency:	max. 350mA
Warranty (Years):	3
Option to extend the guarantee (Years):	5
Units per box:	50
Net Weight (Kg):	0.1
EAN:	8435381419462









MATERIALS / FINISHES

Structure Aluminium Diffuser material: UVA methacrylate material: Polycarbonate

Structure finish: White Diffuser finish: Transparent Chrome

GEAR

Necessary equipment not included. For more information check website / catalogs / sales organization.

Lm(N): Nominal flow of light in actual working conditions. Its actual flow will depend on the environmental conditions and the efficiency of the optics and/or diffuser.



71-3283-00-00



Reflector (15°)

Structure material:

Structure finish: Chrome

Diffuser material: UVA methacrylate

Polycarbonate

Diffuser finish: Transparent

71-3284-00-00



Reflector (28°)

Structure material: Polycarbonate

Structure finish: Chrome

Diffuser material: UVA methacrylate

Diffuser finish: Transparent

71-2910-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Aluminium

Structure finish:

White



<u> 1</u> 2 ∐17

IP54

71-2911-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Aluminium

Structure finish:

White



L 2 I 13,5

71-4752-14-00



Reflector needed to complete the PLAY DECO lights.

Structure material: ABS
Structure finish: White

71-4752-23-00



Reflector needed to complete the PLAY DECO lights.

Structure material: ABS
Structure finish: Golden

71-4752-60-00



Reflector needed to complete the PLAY DECO lights.

Structure material: ABS
Structure finish: Black

71-4753-14-00



Reflector needed to complete the PLAY DECO lights.

Structure material: ABS
Structure finish: White

71-4753-23-00



Reflector needed to complete the PLAY DECO lights.

Structure material:

ABS

Structure finish:

Golden

71-4753-60-00



Reflector needed to complete the PLAY DECO lights.

Structure material:

ABS

Structure finish:

Black

71-4751-14-00




Frame needed to complete the PLAY DECO lights.

Structure material:

Aluminium

Structure finish:

White



IP54

71-4751-60-00




Frame needed to complete the PLAY DECO lights.

Structure material:

Aluminium

Structure finish:

Black




71-2910-AF-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Satin aluminium



IP54

71-2911-AF-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Satin aluminium



2 I 13,5

IP54

71-2912-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Aluminium

Structure finish:

White



______2 [27,5

IP54

71-2912-AF-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Satin aluminium



27,5

71-2913-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material: Structure finish:

Aluminium White




Ø90



IP54

71-2914-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Aluminium

Structure finish:

White



<u>|</u> 2 [25

IP23

71-2914-AF-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Satin aluminium



<u>]</u> 25

IP23

71-2915-14-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Aluminium

Structure finish:

White



<u>1.2</u>[25


71-2915-AF-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Satin aluminium



IP23

71-2915-21-00



Frame compatible with LED module from the PLAY series. Download -Accessories- file to see available modules.

Structure material:

Structure finish:

Aluminium Chrome

Ø78

<u>]</u> 2 [25

IP23

71-4754-60-00



Visual comfort accessory (Optional)

Structure material: Structure finish:

ABS Black

Ø52


71-5208-00-00



Structure material: Polycarbonate Structure finish:

Transparent

71-5166-60-00



Structure material: Structure finish:

Aluminium Black

71-5167-00-00



Structure material: Structure finish:

Polycarbonate Transparent

71-4752-14-00V1



Structure material: Structure finish:

Polycarbonate White

71-4752-23-00V1



Structure material: Structure finish:

Polycarbonate Golden

71-4752-60-00V1



Structure material: Polycarbonate Structure finish:

Black

71-4753-14-00V1



Structure material: Polycarbonate Structure finish:

White



71-4753-23-00V1



Structure material: Polycarbonate

Structure finish: Golden

71-4753-60-00V1



Structure material: Polycarbonate

Structure finish: Black

71-5123-14-00



Structure material: Polycarbonate Structure finish:

White



71-5123-23-00



Structure material: Polycarbonate Structure finish: Golden

71-5123-60-00



Structure material: Polycarbonate

Structure finish: Black

71-5124-14-00



Structure material: Polycarbonate

Structure finish: White



71-5124-23-00



Structure material: Structure finish:

Polycarbonate Golden

71-5124-60-00



Structure material: Structure finish:

Polycarbonate


Black

71-4751-23-00



Structure material: Structure finish:

Aluminium Gold




IP54

71-5126-14-00



Structure material: Structure finish:

Aluminium White




71-5125-14-00



Structure material: Structure finish:

Aluminium White




IP54

71-5125-23-00




Structure material: Structure finish:

Aluminium Golden



IP54


71-5225-60-00



For direct mounting on false ceiling

Structure finish:

Black




71-5128-14-00



Structure material: Structure finish:

Aluminium White




71-2913-AF-00



A surround for the installation of PLAY series LED modules.

Structure material:

Satin aluminium



IP54

71-5138-14-00



Structure material: Structure finish:

Aluminium White

Ø93


IP65

71-5138-AF-00



Structure material: Structure finish:

Aluminium Satin






IP65

71-5138-21-00



Structure material: Structure finish:

Aluminium Chrome






71-5137-14-00



Structure material: Structure finish:

Aluminium White






IP65

71-5137-AF-00



Structure material: Structure finish:

Aluminium Satin






IP65

71-5137-21-00



Structure material: Structure finish:

Aluminium Chrome









Luminaire Code 71-3881-14-37 Name LED RECESSED LIGHT Line Eulumdat			Measurem. Code 71-3881-14-37 Name LED RECESSED LIGHT Date 23-01-2015			Lamp Code LED Number 1 Position				
Efficiency 100.00%			Coordinate system CG			Total Flux		1161.00	1161.00 lm	
Maximum value	1836.05 cd		Position	C=270.00 G=1.00		Asymmetrical				
Rectangular L Rectangular L	Luminaire Luminous Area	Length Length	39 mm 39 mm	Width Width	39 mm 39 mm	Height Height	1 m 0 m			
Emitting area on Plane 0° 0.00000		0.001521 m2 0.000000 m2 0.000000 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°			0.000000 m2 0.000000 m2 0.000368 m2			
Symmetry Ty Measurement		Asymmetrical 0.00		Maximum (Measurem	Gamma Angle ent Flux		90 1161.00 li	m		
Operator Temperature Humidity Notes		25.00 °C 60.00 %		Source vol Source cur Photocell						
			Luminaire							
Line Eulumdat		Code LED	Nam LED	ne - 14.60 W			Flux [lm] 1161.00	Pow. [W] 14.60	Q.ty 1	
C.I.E. F UTE	90 97 99 100 100 1.00 A			D DIN 504 B NBN	O A60 BZ 1					


39mm x 39mm






LITESTAR (c)OxyTech Srl www.oxytech.it Page 1











Scale 1:1 03-10-13




















13-11-2015