


Beacon 50W Mains Voltage - Hi-Spot ES50

BEACON ES50 3/C WHITE 240V
2041882



Product features

-



NOTES

undefined

PRODUCT OVERVIEW

Product name	BEACON ES50 3/C WHITE 240V
Technology	Halogen
Housing	Aluminium
Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
E-number FI	4276124
E-number SE	7416260
E-number Norway	3223668
Warranty	5 years
LOR (%)	87
Light colour	N/A
Beam Angle (°)	25
Electrical protection	Class I
Housing colour	White
IP rating	IP20
Product EAN number	5025768418824

DATA TABLE

General data

Product name	BEACON ES50 3/C WHITE 240V
Technology	Halogen
Housing	Aluminium

Beacon 50W Mains Voltage - Hi-Spot ES50

BEACON ES50 3/C WHITE 240V

2041882

Mount	Track mounting
Environment	Interior
General application	Hospitality, Museums & Galleries, Retail
ETIM Class	EC001744
E-number FI	4276124
E-number SE	7416260
E-number Norway	3223668
Warranty	5 years

Optical data

LOR (%)	87
Light colour	N/A
Adjustable chromaticity	N
Beam Angle (°)	25
Distribution type	Adjustable

Electrical data

Mains voltage (V)	230V~
Electrical protection	Class I
Transformer required	No

Physical data

Housing colour	White
IP rating	IP20
Nominal Product Width (mm)	85
Nominal Product Height (mm)	114
Nominal Product Diameter (mm)	58
Max. Lamp Diameter (mm) - D	58
Weight (kg)	0.31





Packaging

Single packaging type	Carton
Product EAN number	5025768418824
Packaging single length / height (cm)	17.5
Packaging single width (cm)	15.0
Packaging single depth (cm)	17.5
Units per outer package	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

PHOTOMETRY

Beacon 50W Mains Voltage - Hi-Spot ES50

BEACON ES50 3/C WHITE 240V
2041882



TECHNICAL DRAWINGS

