


Date
Customer
Project
Type

*Pista Linear Spots Track 48V 302 1x LED 2700K Flood DALI DI Black Structure*





### Specifications

Material	13461532
Light Source Type	LED
LED Type	PISTA LINEAR SPOTS (8x)
LED technology	LED PCB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B20 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	95 100 100 100 72
Binning (SDCM)	3
Light Direction	Down
Optic	Collimator
Measured beam angle (°)	38.5
Input Voltage	48Vdc
Luminaire power (W)	9.0
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	DALI
DALI Standard	DALI version-1
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Structure
Gross weight (g)	112.0
Delivered lumens (lm)	621
Efficacy (lm/W)	69
Glare rating	17
Remark	<ul style="list-style-type: none"> <li>• 3500K on request</li> <li>• This black Track 48V linear module comes with a black track adapter. Exceptions are only possible on request.</li> <li>• This is not a complete product. Pista track 48V system required.</li> </ul>



**TM30 & CRI diagram**



**Light distribution & beam diagram**

