




Gea Power Led

LedsC4 Team

Downlight IP66 Gea Power Led LED 22 LED warm-white 3000K ON-OFF AISI 316 stainless steel 1820lm

Technical features

Luminaire total power: 22W
Real lumens: 1820
Real lm/W: 83
Correlated Colour Temperature (CCT): LED warm-white 3000K
Lens / reflector angle: MEDIUM 40°
UGR: <=19
Structure material: Stainless steel AISI316
Structure finish: AISI 316 stainless steel
Diffuser material: Glass
Diffuser finish: Transparent
Voltage / frequency: 100-240V/50-60Hz
Dimming protocol: ON-OFF
Power Factor: 0.90
Useful life: 50,000h L80B20
Warranty: 5 años
Resistant to marine environments: Yes
Easily recyclable luminaire



Luminotechnic features

Luminance C0°G65°: 2665
Luminance C90°G65°: 2625
CRI: 80
MacAdam steps: 3
Photobiological risk: RGO

UGR		Lampholder	Quantity	Light source power (W)
S=0.250		LED	1	18W
Ceiling / cavity	0.7			
Walls	0.5			
Working Plane	0.2			
Room dimensions	X=4H, Y=8H			
UGR crosswise	16.8			
UGR lengthwise	16.8			




Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Gea Power Led

LedsC4 Team

Downlight IP66 Gea Power Led LED 22 LED warm-white 3000K ON-OFF AISI 316 stainless steel 1820lm

Logistics



x 2

Net weight (kg): 1.18

Packaged weight (kg): 2.05

Packaging: 200mm x 200mm x
115mm

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



Gea Power Led

LedsC4 Team

Downlight IP66 Gea Power Led LED 22 LED warm-white 3000K ON-OFF AISI 316 stainless steel 1820lm

Optional accessories



71-9744-05-05

Structure material: Polypropylene
Net weight (kg): 0.24

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.