



Max Medium Without Support

LedsC4 Team

Spotlight IP66 Max Medium Without Support LED 6.5 LED warm-white 2700K Urban grey 459lm

Technical features

Luminaire total power: 6.5W

Real lumens: 459

Real lm/W: 71

Correlated Colour Temperature (CCT): LED warm-white 2700K

Lens / reflector angle: MEDIUM 27°

UGR: <=16

Structure material: Aluminium

Structure finish: Urban grey

Diffuser material: Glass

Diffuser finish: Transparent

Equipment necessary but not included

Voltage / frequency: 18V/max.350mA

Useful life: 50,000h L80B20

Warranty: 5 años

Resistant to marine environments: Yes

Easily recyclable luminaire



Luminotechnic features

CRI: 90

MacAdam steps: 2

Photobiological risk: RG1

UGR crosswise: 12.5

UGR lengthwise: 12.5

Lampholder	Quantity	Light source power (W)
LED	1	6.5W






Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.




Max Medium Without Support

LedsC4 Team

Spotlight IP66 Max Medium Without Support LED 6.5 LED warm-white 2700K Urban grey 459lm

Logistics



x 20

Net weight (kg): 0.39

Packaged weight (kg): 0.53

Packaging: 160mm x 160mm x 80mm

Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.




Max Medium Without Support

LedsC4 Team

Spotlight IP66 Max Medium Without Support LED 6.5 LED warm-white 2700K Urban grey 459lm

Optional accessories




71-E133-00-00

5 filters for producing diffused light

Structure material: Polycarbonate

Dimensions: 40 x NA x 2

Net weight (kg): 0.02




71-E141-00-00

5 filters for producing light in an elliptical shape

Structure material: Polycarbonate

Dimensions: 40 x NA x 2

Net weight (kg): 0.01




71-E135-00-00

5 filters for producing light in a square shape

Structure material: Polycarbonate

Dimensions: 40 x NA x 1.5

Net weight (kg): 0.02



71-E131-00-00

5 honeycomb panels

Structure material: Aluminium

Dimensions: 40 x NA x 3

Net weight (kg): 0.01



71-E145-Z5-Z5

Urban grey Visor

Structure material: Aluminium

Dimensions: 64 x NA x 65

Net weight (kg): 0.06

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

Optional accessories



71-E143-05-05

Floor mounting spike

Structure material: Technopolymer

Dimensions: 38 x NA x 170

Net weight (kg): 0.03



71-E112-00-00

IP68 anti-condensation connector with two inlets

Structure material: Technopolymer

Dimensions: 23 x 88 x NA

Net weight (kg): 0.04



71-9199-05-05

IP68 connector with six inlets

Structure material:

Dimensions: NA x NA x NA

Net weight (kg): 0.26



71-E463-00-00

Structure material: Methacrylate

Dimensions: 40 x NA x 3

Net weight (kg): 0.02



71-E510-00-00

Structure material: Nylon

Dimensions: 19 x 55 x NA



71-E512-00-00

Structure material: Nylon

Dimensions: 24 x 71 x NA

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.