

Data sheet

Commercial Art.No.: 06.562.0653.0

end cap GESIS NRG 5x2,5+5x4MM²

gesis® NRG end cap; for flat cable 5G2,5 and 5G4; IP40; can be assembled after cable is cut with special cutting tool; colour: natural coloured



Commercial Art.No.	06.562.0653.0
EAN	4049088288852
Order Unit	1

certificates / approvals



Technical data

classification

ECLASS 11	
ETIM 9.0	EC002863
ETIM 8.0	EC002863
ETIM 7.0	EC002863
ETIM 6.0	EC002863
ETIM 5.0	EC002863

product compliance

ROHS conformity status	compliant
REACH-SVHC conformity status	compliant




Fits with

Commercial Art.No.:	Article-type description:	Description:
00.712.0303.1	flat cable 5G2,5MM ² PVC SW	gesis® NRG BASIC flat cable; mains 5G2.5; 20 A; 0.6/1 kV; PVC CPR class Eca; color: black.
00.712.0303.7	flat cable 5G2,5MM ² PVC GN	gesis® NRG BASIC flat cable; mains 5G2.5; 20 A; 0.6/1 kV; PVC CPR class Eca; color: green
00.712.0303.6	flat cable 5G2,5MM ² PVC BL	gesis® NRG DIMM flat cable; mains+signal 5G2.5; 20 A; 0.6/1 kV; PVC CPR class Eca; color: blue.
00.770.0303.1	flat cable 5G2,5MM ² HF SW B2	gesis® NRG BASIC flat cable; mains 5G2.5; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: black.
00.770.0303.7	flat cable 5G2,5MM ² HF GN B2	gesis® NRG BASIC flat cable; mains 5G2.5; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: green.
00.770.0304.1	flat cable 5G4MM ² HF SW B2	gesis® NRG BASIC flat cable; mains 5G4; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: black.

00.770.0304.7	flat cable 5G4MM ² HF GN B2	geis® NRG BASIC flat cable; mains 5G4; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: green.
00.770.0303.6	flat cable 5G2,5MM ² HF BL B2	geis® NRG DIMM flat cable; mains+signal 5G2.5; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: blue.
00.770.0304.6	flat cable 5G4MM ² HF BL B2	geis® NRG DIMM flat cable; mains+signal 5G4; 20 A; 0.6/1 kV; halogen free fire class: B2ca s1a d1 a1; color: blue.
00.710.0303.1	flat cable 5G2,5MM ² HF SW	geis® NRG BASIC flat cable; mains 5G2.5; 20 A; 0.6/1 kV; halogen free CPR class Eca; color: black.
00.710.0304.1	flat cable 5G4MM ² HF SW	geis® NRG BASIC flat cable; mains 5G4; 20 A; 0.6/1 kV; halogen free CPR class Eca; color: black.
00.710.0303.6	flat cable 5G2,5MM ² HF BL	geis® NRG DIMM flat cable; mains+signal 5G2.5; 20 A; 0.6/1 kV; halogen free CPR class Eca; color: blue.
00.710.0304.6	flat cable 5G4MM ² HF BL	geis® NRG DIMM flat cable; mains+signal 5G4; 20 A; 0.6/1 kV; halogen free CPR class Eca; color: blue.

These dimensions will be especially checked at delivery
Only inspection dimensions
With /E marked dimensions are only valid for internal use

Diese Maße werden bei Abnahme besonders geprüft
Ausschließlich Prüfmaße
Mit /E gekennzeichnete Maße sind nur für interne Zwecke gültig



Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Die Reproduktion, Distribution und Nutzung dieses Dokuments sowie die Kommunikation der Inhalte ist ohne schriftliche Genehmigung der Wieland Electric AG ist untersagt.

Weitere Daten siehe KATALOG oder eKatalog.
Additional data see CATALOG or eCatalog.

www.wieland-electric.com
eshop.wieland-electric.com

Tolerierung Size ISO 14405(E)/Tolerance system Size ISO 14405(E).
(This ISO-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).

ja/yes ☒ Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten.
Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach
General tolerance

CAD - Zeichnung, keine manuellen Änderungen
CAD - drawing, no manual modifications allowed

1.Verwendung:
First Use:

Blatt: 1 von 1
Sheet: of 1

	/		Werkstoff/Material		2015	Tag/Date	Name	Zeichnung Nr./Drawing No.	Index	
	/		PA66		gezeichnet drawn	27.05.	Dütsch			
	/		Maßstab/Scale	natur / nature	geprüft checked	-	-			
	/				1:1	Normgepr. Stand. check	-			-
									Maße in mm/Dimensions are in mm	
	/	Vol.	mm³	Ofl./Surf.	mm²	Ersatz für/Replacement for: -				
	/		wieland www.wieland-electric.com			Type	Benennung/Title ENDSTUECK für Flachleitung end cap for flat cable			
	/									
Index	Datum / Blatt Date / Sheet									
Änderung/Revision										