

Data sheet

Commercial Art.No.: 92.258.2060.1

cable assembly GST18I5KSBS 25H 20SW

GST18i5 connecting cable, female - male, number of poles 5, rated voltage 250 V / 400 V, rated current 20 A, cable type H05Z1Z1-F, fire class Eca, total length 2 m, nominal cross section conductor 2.5 $\,$ mm², color of coding/ contact carrier black



| Commercial Art.No. | 92.258.2060.1 |
|--------------------|---------------|
| EAN | 4015573623545 |
| Order Unit | 1 |

certificates / approvals





Technical data

general

| rated current | 20 A |
|--|----------------------------------|
| rated voltage | 250 V / 400 V |
| rated impulse voltage | 4 kV |
| pollution degree | 2 |
| mechanical coding | code 1 |
| continuity resistor | 14.48 mOhm |
| lockable | self-locking (unlocking by tool) |
| color of coding/ contact carrier | black |
| marking of poles | 3, N, PE, 2, 1 |
| color of housing inclusive strain relief | black |

model

| nominal cross section conductor | 2.5 mm ² |
|---------------------------------|---------------------|
| degree of protection (IP) | IP40 |
| cable type | H05Z1Z1-F |
| cable color | black |
| cable diameter max. | 12.1 mm |
| version of cable | female - male |
| type of cord set | connecting cable |
| version cable end 1 | GST18i5 female |
| version cable end 2 | GST18i5 plug |

material



| surface finish | tin-plated |
|---|------------|
| halogen free | yes |
| continuous temperature of cable | 70 °C |
| insulation components continous temperature | 100 °C |
| fire load | 1.702 kWh |
| fire class | Eca |

dimensions

| total length | 2 m |
|--------------|-----|
| total longin | |

classification

| ECLASS 11 | |
|------------|----------|
| ECLASS 8.1 | 27440604 |
| ETIM 9.0 | EC002587 |
| ETIM 8.0 | EC002587 |
| ETIM 7.0 | EC002587 |
| ETIM 6.0 | EC002587 |
| ETIM 5.0 | EC002587 |
| ETIM 4.0 | EC002587 |

product compliance

| ROHS conformity status | compliant/exempted |
|------------------------------|--------------------|
| ROHS exceptions | III-6(c) |
| REACH-SVHC conformity status | Duty-To-Declare |
| REACH-SVHC substances | Lead |
| REACH-SVHC CAS numbers | 7439-92-1 |

Accessories

| Commercial Art.No.: | Article-type description: | Description: |
|---------------------|---------------------------|---|
| 05.587.3156.0 | lock (G)ST18 WS | Locking device for cable to cable connection GST18i3-5, white |
| 05.564.5353.0 | cover cap GST18I3/4/5 SW | Cover piece 12 pole black for female parts GST18i3-6 |
| 05.564.5353.2 | cover cap GST18I3/4/5 WS | Cover piece 12 pole white for female parts GST18i3-6 |
| 05.566.9253.0 | cover cap GST18I5 BUCHSEN | Cover for female connectors GST18i5, black |
| 05.587.3156.1 | lock (G)ST18 SW | Locking device for cable to cable connection GST18i3-5, black |

