

Bolt & nut B13 M6x25 AISI316L

Reference 1149384



Activity	Cable support systems
Product family	Mesh trays
Brand	Defem
Range	Defem

Commercial and Web

Short description	Bolt & nut B13 M6x25 AISI316L
Medium description	Defem - bolt and flange nut B13 M6x25 - stainless steel AISI316L - 50 pcs
Keyword	1149384, Defem Mesh Trays
Material	Stainless steel
Material type or surface treatment	AISI316L
Corrosion class	C5-M

Base

Activity	Cable support systems
Product family	Mesh trays
Brand	Defem
Range	Defem
GTIN	7332227013840

ETIM (EC003861-Bolt)

Material (EF002169)	Stainless steel
Material quality (EF001257)	Stainless steel 316 L (1.4404)
Surface protection (EF000139)	Other
Head form (EF000012)	*
Countersunk head (EF013941)	*
Dimension square neck bolt	* mm

(EF015588)	
Thread size (metric) (EF003563)	*
Thread size (imperial) (EF003715)	*
Length to bottom side head (EF013623)	* mm
Thread length (EF000368)	* mm
Full thread (EF009106)	*
Screwing system (EF000013)	*
Wrench width (EF000177)	* mm
Pitch thread (EF003712)	* mm
Thread per inch (EF012132)	*
Thread type (EF001758)	*
Left (EF022707)	*
Head diameter (EF001001)	* mm
Head height (EF025409)	* mm
With flange (EF005729)	*
With nut (EF005059)	*
With washer (EF005076)	*
Self (EF006319)	*
RAL (EF000116)	*
Colour (EF000007)	*

Logistic

Pack 1 type	Bag
Quantity pack 1	50
Weight pack 1	0.576
Length pack 1	140
Width pack 1	140
Height pack 1	20
GTIN pack 1	17332227013847
Pack 2 type	Carton
Quantity pack 2	1000
Weight pack 2	6.27
Length pack 2	220
Width pack 2	190
Height pack 2	295
Pack 4 type	Pallet
Quantity pack 4	20000
Weight pack 4	273
Length pack 4	1200
Width pack 4	800
Height pack 4	295
Customs code	73089098
Country of origin	SE

Certification

ETIM class	EC003861
------------	----------

Status product

Product status

Commercialized

For the latest information check [http://wibe-group.com/cable-support-systems/bolt-nut-b13-m6x25-ss316l-\(50pcs\)](http://wibe-group.com/cable-support-systems/bolt-nut-b13-m6x25-ss316l-(50pcs))

This information is meant as an indication and cannot be used to ensure fitness with any solution. This file is subject to change, for detailed information, please contact our Customer Service.