

Mean Well Dali Switching Power Supplies IP67





Dimmable DALI power supplies with IP classification IP67. For indoor and outdoor use.

Noiseless – without fan.

[PROLED SWITCHING POWER SUPPLIES GENERAL MANUAL \(187.4 KB\)](#)

[5 YEARS WARRANTY INFORMATION](#)

TECHNICAL DATA

Frequency range	47-63 Hz
-----------------	----------

PRODUCT TYPES

order code	model	output voltage	power	MM	power source	dimensions (l x w x h)	weight
L502407RD	DALI	24 VDC	75 Watt	yes	100-300 VAC + 145-400 VDC	180 x 63 x 36 mm	0,80 kg

order code	model	output voltage	power	MM	power source	dimensions (l x w x h)	weight
L502409RD	DALI	24 VDC	96 Watt	yes	100-300 VAC + 145-400 VDC	199 x 63 x 36 mm	0,85 kg
L502415RD	DALI	24 VDC	150 Watt	yes	100-300 VAC + 145-400 VDC	219 x 63 x 36 mm	0,95 kg
L502424RD	DALI	24 VDC	240 Watt	yes	100-300 VAC + 145-400 VDC	244 x 71 x 38 mm	1,22 kg

MEMBER OF THE PROLED GROUP