


Mean Well Switching Power Supplies Constant Current Multi



ANALOG

DALI (DT6/DT8)

KNX

CASAMBI

Multifunctional constant current power supplies with selectable output current level by DIP switch. Dimmable by 0-10 V, DALI / PUSH-DIM, KNX or CASAMBI. The DALI 40W is also available as a 2-channel version (DT6 single address; DT6

double address or DT8 single address). Noiseless – without fan.

MEAN WELL SWITCHING POWER SUPPLIES GENERAL MANUAL (165.7 KB)

TECHNICAL DATA

Power source	180–290 VAC + 260–400 VDC
Frequency range	47–63 Hz
Dimensions (l x w x h)	105 x 68 x 23 mm (25 Watt)
	124 x 82 x 23 mm (40 + 60 Watt)
Weight	0,16 kg (25 Watt)
	0,24 kg (40 + 60 Watt)

25 WATT*

350 mA	6–54 V
500 mA	6–50 V
600 mA	6–42 V
700 mA	6–36 V
900 mA	6–28 V
1050 mA	6–24 V

*at 350 mA 18 Watt

40 WATT

350 mA	2–100 V
500 mA	2–80 V
600 mA	2–67 V
700 mA	2–57 V

900 mA	2–45 V
1050 mA	2–40 V

40 WATT DALI 2CH TW

500 mA	20–50 V
600 mA	20–50 V
700 mA	20–50 V
800 mA	20–50 V
900 mA	20–50 V
1050 mA	20–50 V

60 WATT

500 mA	2–90 V
600 mA	2–90 V
700 mA	2–86 V
900 mA	2–67 V
1050 mA	2–57 V
1400 mA	2–42 V

PRODUCT TYPES

order code	description	MM	dimmable
L50LCM02A	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 25 Watt*, 1-10 V	yes	0-10 V
L50LCM04A	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 40 Watt, 1-10 V	yes	0-10 V

order code	description	MM	dimmable
L50LCM06A	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 60 Watt, 1-10 V	yes	0-10 V
L50LCM02D2	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 25 Watt*, DALI	yes	DALI2
L50LCM04D	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 40 Watt, DALI	yes	DALI
L50LCM06D	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 60 Watt, DALI	yes	DALI
L50LCM04TW	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 40 Watt, DALI 2CH TW	yes	DALI2 (DT6/DT8)
L50LCM04K	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 40 Watt, KNX	yes	KNX
L50LCM06K	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 60 Watt, KNX	yes	KNX
L50LCM02C	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 25 Watt*, CASAMBI	yes	CASAMBI
L50LCM04C	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 40 Watt, CASAMBI	yes	CASAMBI
L50LCM06C	SWITCHING POWER SUPPLY CONSTANT CURRENT MULTI 60 Watt, CASAMBI	yes	CASAMBI

*at 350 mA 18 Watt

MEMBER OF THE PROLED GROUP