


Aluminium Profile L-Line Standard 24



SLIDING BASE HSB



SLIDING BASE B



ALUMINIUM COVER



CONNECTOR 24 LINEAR



CONNECTOR 24 90°



CONNECTOR 24 120°





The PROLED aluminium profiles are the perfect addition to the PROLED FLEX STRIPS. The FLEX STRIPS can be glued into the profile. The aluminum profiles are in anodized aluminium, white RAL 9016 or black similar to RAL 9005 available. The profile can simply be sawn to any required length or ordered in the required custom length. Different versions of Aluminium profiles and different shapes of plastic covers are available. In addition we offer a wide range of accessories.


L-LINE STANDARD 24

Flat plastic covers are available in following versions:


crystal clear, frost (semitransparent), milky frost (opal), with microprism and black (translucent effect)

All PROLED aluminium profiles, plastic covers and end caps are protected by registered community designs (international design patents).


PROFILE




SLIDING BASE HSB



SLIDING BASE B



ALUMINIUM COVER



[PROLED STEEL CABLE SUSPENSION KIT XL + L MANUAL \(316.0 KB\)](#)

[ORDER EXAMPLE SPECIAL LENGTHS](#)

[5 YEARS WARRANTY INFORMATION](#)

COMPATIBILITY ALUMINIUM PROFILE L-LINE STANDARD 24 AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

DMX STRIP 30	—
FLEX STRIP 300 + SUNLIKE 300**	×
FLEX STRIP 300 THIN	×
FLEX STRIP 400	×
FLEX STRIP 600 + SUNLIKE 600**	×
FLEX STRIP 600 CC	×

FLEX STRIP 800	×
FLEX STRIP 800 EXTRA BRIGHT	×
FLEX STRIP 1200 SINGLE	×
FLEX STRIP 1200 DOUBLE**	×
FLEX STRIP 2160 QUATTRO**	×
FLEX STRIP 300 HE+**	×
FLEX STRIP 400 HE+	×
FLEX STRIP 600 HE+	×
FLEX STRIP 800 HE+	×
FLEX STRIP 1200 HE** / HE+	×
FLEX STRIP 2216	×
FLEX STRIP 2110 UHD**	×
FLEX STRIP COB LP	×
FLEX STRIP COB	×
FLEX STRIP HD**	×
FLEX STRIP HD SINGLE CUT**	×
FLEX STRIP HD POWER**	×
FLEX STRIP 5630**	×
FLEX STRIP Xtend	×
FLEX STRIP 5630 HE+	×
FLEX STRIP 900 FOOD	×
FLEX STRIP DIM-TO-WARM 1200	×
FLEX STRIP DW**	×
FLEX STRIP DW 2-IN-1	×
FLEX STRIP DW 3-IN-1**	×
FLEX STRIP COB DW	×

FLEX STRIP RGB**	×
FLEX STRIP HD RGB	×
FLEX STRIP HD+ RGB	×
FLEX STRIP 3535 RGB	×
FLEX STRIP Xtend RGB	×
FLEX STRIP RGBA 4-IN-1	×
FLEX STRIP RGBA**	×
FLEX STRIP RGBW 4-IN-1	×
FLEX STRIP RGBW	×
FLEX STRIP Xtend RGBW	×
FLEX STRIP RGBAW	×
FLES STRIP RGB+CCT 5-IN-1	×
FLES STRIP HD RGB+CCT 5-IN-1	×
FLEX STRIPS DIGITAL	×
** = listed in catalogue "DISCONTINUED EOL PRODUCTS 2023"	

COMPATIBILITY ALUMINIUM PROFILE L-LINE STANDARD 24 AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

FLEX STRIP IP62 400	×
FLEX STRIP IP62 800	×
FLEX STRIP IP53 300**	×
FLEX STRIP IP53 400	×
FLEX STRIP IP53 600**	×

FLEX STRIP IP53 800	×
FLEX STRIP IP53 300 HE** / HE+**	×
FLEX STRIP IP53 400 HE+	×
FLEX STRIP IP53 600 HE** / HE+**	×
FLEX STRIP IP53 800 HE+	×
FLEX STRIP IP53 1200 HE** / HE+	×
FLEX STRIP IP53 HD**	×
FLEX STRIP IP53 DW 2-IN-1	×
FLEX STRIP IP53 RGB**	×
FLEX STRIP IP53 HD RGB	×
FLEX STRIP IP54 EXTENDED 700**	×
FLEX STRIP IP68 300	×
FLEX STRIP IP68 400	×
FLEX STRIP IP68 600**	×
FLEX STRIP IP68 800	×
FLEX STRIP IP68 1200 DOUBLE**	×
FLEX STRIP IP68 300 HE+**	×
FLEX STRIP IP68 400 HE+	×
FLEX STRIP IP68 600 HE** / HE+**	×
FLEX STRIP IP68 800 HE+	×
FLEX STRIP IP68 1200 HE** / HE+	×
FLEX STRIP IP68 HD**	×
FLEX STRIP IP65 Xtend	×
FLEX STRIP IP65 900 FOOD	×
FLEX STRIP IP65 WELLNESS	×
FLEX STRIP IP68 RGB	×

FLEX STRIP IP68 HD RGB	×
FLEX STRIP IP68 RGBW 4-IN-1	×
FLEX STRIP IP68 RGB+CCT 5-IN-1	×
FLEX STRIP IP68 HD RGB+CCT 5-IN-1	×
FLEX STRIP IP65 DIGITAL	×
FLEX STRIP OPAL BERLIN	×
FLEX STRIP OPAL HAMBURG	—
FLEX STRIP OPAL LONDON	—
FLEX STRIP OPAL LIVERPOOL	—
FLEX STRIP OPAL MILAN	—
FLEX STRIP OPAL SIDE VIEW	—
FLEX STRIP OPAL 360	—
FLEX STRIP XTREME MONO	×
FLEX STRIP XTREME RGB	×

** = listed in catalogue "DISCONTINUED EOL PRODUCTS 2023"

PRODUCT TYPES

order code	description	length
L69F02S	ALUMINIUM PROFILE L-LINE STANDARD 24	2 m
L69F02SX	ALUMINIUM PROFILE L-LINE STANDARD 24	3 m
L69F02SY	ALUMINIUM PROFILE L-LINE STANDARD 24	5 m
L69F02SZ	ALUMINIUM PROFILE L-LINE STANDARD 24	per meter (max. 5 m)*
L69F02SW	ALUMINIUM PROFILE L-LINE STANDARD 24 white**	2 m
L69F02SWX	ALUMINIUM PROFILE L-LINE STANDARD 24 white**	3 m

order code	description	length
L69F02SWZ	ALUMINIUM PROFILE L-LINE STANDARD 24 white**	per meter (max. 3 m)*
L69F02SB	ALUMINIUM PROFILE L-LINE STANDARD 24 black***	2 m
L69F02SBX	ALUMINIUM PROFILE L-LINE STANDARD 24 black***	3 m
L69F02SBZ	ALUMINIUM PROFILE L-LINE STANDARD 24 black***	per meter (max. 3 m)*
L69FS3A0	ALUMINIUM COVER L-LINE	0,2 m
L69FS3A1	ALUMINIUM COVER L-LINE	1,0 m
L69FS3A2	ALUMINIUM COVER L-LINE	2,0 m
L69FS3AZ	ALUMINIUM COVER L-LINE	per meter (max. 2 m)*
L69FS3A0W	ALUMINIUM COVER L-LINE white**	0,2 m
L69FS3A1W	ALUMINIUM COVER L-LINE white**	1,0 m
L69FS3A2W	ALUMINIUM COVER L-LINE white**	2,0 m
L69FS3AZW	ALUMINIUM COVER L-LINE white**	per meter (max. 2 m)*
L69FS3A0B	ALUMINIUM COVER L-LINE black***	0,2 m
L69FS3A1B	ALUMINIUM COVER L-LINE black***	1,0 m
L69FS3A2B	ALUMINIUM COVER L-LINE black***	2,0 m
L69FS3AZB	ALUMINIUM COVER L-LINE black***	per meter (max. 2 m)*
L69FSBS	ALUMINIUM SLIDING BASE L-LINE HSB	2 m
L69FSBSZ	ALUMINIUM SLIDING BASE L-LINE HSB	per meter (max. 2 m)*
L69FSBSW	ALUMINIUM SLIDING BASE L-LINE HSB white**	2 m

order code	description	length
L69FSBSWZ	ALUMINIUM SLIDING BASE L-LINE HSB white**	per meter (max. 2 m)*
L69FSBSB	ALUMINIUM SLIDING BASE L-LINE HSB black***	2 m
L69FSBSBZ	ALUMINIUM SLIDING BASE L-LINE HSB black***	per meter (max. 2 m)*
L69FSBB	ALUMINIUM SLIDING BASE L-LINE B	2 m
L69FSBBZ	ALUMINIUM SLIDING BASE L-LINE B	per meter (max. 2 m)*
L69FSBBW	ALUMINIUM SLIDING BASE L-LINE B white**	2 m
L69FSBBWZ	ALUMINIUM SLIDING BASE L-LINE B white**	per meter (max. 2 m)*
L69FSBBB	ALUMINIUM SLIDING BASE L-LINE B black***	2 m
L69FSBBBZ	ALUMINIUM SLIDING BASE L-LINE B black***	per meter (max. 2 m)*
L690007	CONNECTOR 24 LINEAR	-
L690008	CONNECTOR 24 90°	-
L690010	CONNECTOR 24 120°	-
L690011	CONNECTOR 24 135°	-
L690012	CONNECTOR 24 VERTICAL 90°	-
L690017	CONNECTOR 24 ADJUSTABLE (angle adjustable)	-
L69X000	STEEL CABLE SUSPENSION KIT XL+L	-
L69FS3ES	ALUMINIUM END CAP FLAT L-LINE STANDARD	-
L69FS3ESW	ALUMINIUM END CAP FLAT L-LINE STANDARD white**	-
L69FS3ESB	ALUMINIUM END CAP FLAT L-LINE STANDARD black***	-

***Custom Length** / **white RAL 9016 / ***black similar to RAL 9005

MEMBER OF THE PROLED GROUP