

Aluminium Profile XL-Line Indirect



SLIDING BASE HSB



SLIDING BASE XSB



SLIDING REFLECTOR



indirect light output




CONNECTOR 24 LINEAR



CONNECTOR 24 90°





The PROLED aluminium profiles are the perfect addition to the PROLED FLEX STRIPS. The FLEX STRIPS can be glued into the profile. The aluminum profiles are in anodized aluminium, white RAL 9016 or black similar to RAL 9005 available. The profile can simply be sawn to any required length or ordered in the required custom length. Different versions of Aluminium profiles and different shapes of plastic covers are available. In addition we offer a wide range of accessories.

XL-LINE INDIRECT

Flat plastic covers (XL-LINE size) are available for the direct light output in following versions:


crystal clear, frost (semitransparent), milky frost (opal), with microprism

For the indirect light output flat plastic covers (M-LINE size) are in following versions:


crystal clear, frost (semitransparent), milky frost (opal)

All PROLED aluminium profiles, plastic covers and end caps are protected by registered community designs (international design patents).


PROFILE




SLIDING BASE HSB



SLIDING BASE XSB



SLIDING REFLECTOR



[PROLED STEEL CABLE SUSPENSION KIT XL + L MANUAL \(316.0 KB\)](#)

[ORDER EXAMPLE SPECIAL LENGTHS](#)

[5 YEARS WARRANTY INFORMATION](#)

COMPATIBILITY ALUMINIUM PROFILE XL-LINE INDIRECT AND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

	direct light output	indirect light output
DMX STRIP 30	—	—
FLEX STRIP 300 + SUNLIKE 300**	×	×
FLEX STRIP 300 THIN	×	×
FLEX STRIP 400	×	×
FLEX STRIP 600 + SUNLIKE 600**	×	×
FLEX STRIP 600 CC	×	×
FLEX STRIP 800	×	×
FLEX STRIP 800 EXTRA BRIGHT	×	×
FLEX STRIP 1200 SINGLE	×	×
FLEX STRIP 1200 DOUBLE**	×	×
FLEX STRIP 2160 QUATTRO**	×	—
FLEX STRIP 300 HE+**	×	×
FLEX STRIP 400 HE+	×	×
FLEX STRIP 600 HE+	×	×
FLEX STRIP 800 HE+	×	×
FLEX STRIP 1200 HE** / HE+	×	×
FLEX STRIP 2216	×	×
FLEX STRIP 2110 UHD**	×	×
FLEX STRIP COB LP	×	×
FLEX STRIP COB	×	×
FLEX STRIP HD**	×	×
FLEX STRIP HD SINGLE CUT**	×	×
FLEX STRIP HD POWER**	×	—
FLEX STRIP 5630**	×	×

FLEX STRIP Xtend	×	×
FLEX STRIP 5630 HE+	×	×
FLEX STRIP 900 FOOD	×	×
FLEX STRIP DIM-TO-WARM 1200	×	×
FLEX STRIP DW**	×	×
FLEX STRIP DW 2-IN-1	×	×
FLEX STRIP DW 3-IN-1**	×	×
FLEX STRIP COB DW	×	×
FLEX STRIP RGB**	×	×
FLEX STRIP HD RGB	×	×
FLEX STRIP HD+ RGB	×	×
FLEX STRIP 3535 RGB	×	×
FLEX STRIP Xtend RGB	×	×
FLEX STRIP RGBA 4-IN-1	×	×
FLEX STRIP RGBA**	×	×
FLEX STRIP RGBW 4-IN-1	×	×
FLEX STRIP RGBW	×	×
FLEX STRIP Xtend RGBW	×	×
FLEX STRIP RGBAW	×	×
FLEX STRIP RGB+CCT 5-IN-1	×	×
FLEX STRIP HD RGB+CCT 5-IN-1	×	×
FLEX STRIPS DIGITAL	×	×

** = listed in catalogue "DISCONTINUED EOL

PRODUCTS 2023"

KOMPATIBILITÄT ALUMINIUMPROFIL XL-LINE INDIRECT UND STRIPS

This list shows only the compatibility based on the dimensions. The thermal compatibility depends on the installation and surroundings. End caps and supply connectors are not taken into account in the compatibility based on the dimensions.

	direct light output	indirect light output
FLEX STRIP IP62 400	×	×
FLEX STRIP IP62 800	×	×
FLEX STRIP IP53 300**	×	×
FLEX STRIP IP53 400	×	×
FLEX STRIP IP53 600**	×	×
FLEX STRIP IP53 800	×	×
FLEX STRIP IP53 300 HE** / HE+**	×	×
FLEX STRIP IP53 400 HE+	×	×
FLEX STRIP IP53 600 HE** / HE+**	×	×
FLEX STRIP IP53 800 HE+	×	×
FLEX STRIP IP53 1200 HE** / HE+	×	×
FLEX STRIP IP53 HD**	×	×
FLEX STRIP IP53 DW 2-IN-1	×	×
FLEX STRIP IP53 RGB**	×	×
FLEX STRIP IP53 HD RGB	×	×
FLEX STRIP IP54 EXTENDED 700**	×	×
FLEX STRIP IP68 300	×	×
FLEX STRIP IP68 400	×	×
FLEX STRIP IP68 600**	×	×
FLEX STRIP IP68 800	×	×
FLEX STRIP IP68 1200 DOUBLE**	×	—
FLEX STRIP IP68 300 HE+**	×	×

FLEX STRIP IP68 400 HE+	×	×
FLEX STRIP IP68 600 HE** / HE+**	×	×
FLEX STRIP IP68 800 HE+	×	×
FLEX STRIP IP68 1200 HE** / HE+	×	×
FLEX STRIP IP68 HD**	×	×
FLEX STRIP IP65 Xtend	×	×
FLEX STRIP IP65 900 FOOD	×	×
FLEX STRIP IP65 WELLNESS	×	×
FLEX STRIP IP68 RGB	×	×
FLEX STRIP IP68 HD RGB	×	×
FLEX STRIP IP68 RGBW 4-IN-1	×	×
FLEX STRIP IP68 RGB+CCT 5-IN-1	×	×
FLEX STRIP IP68 HD RGB+CCT 5-IN-1	×	×
FLEX STRIP IP65 DIGITAL	×	×
FLEX STRIP OPAL BERLIN	×	×
FLEX STRIP OPAL HAMBURG	—	—
FLEX STRIP OPAL LONDON	—	—
FLEX STRIP OPAL LIVERPOOL	—	—
FLEX STRIP OPAL MILAN	—	—
FLEX STRIP OPAL SIDE VIEW	—	—
FLEX STRIP OPAL 360	—	—
FLEX STRIP XTREME MONO	×	×
FLEX STRIP XTREME RGB	×	×

** = listed in catalogue "DISCONTINUED EOL

PRODUCTS 2023"

PRODUCT TYPES

order code	description	length
L69XA00	ALUMINIUM PROFILE XL-LINE INDIRECT	2 m
L69XA00X	ALUMINIUM PROFILE XL-LINE INDIRECT	3 m
L69XA00Z	ALUMINIUM PROFILE XL-LINE INDIRECT	per meter (max. 3 m)*
L69XA00W	ALUMINIUM PROFILE XL-LINE INDIRECT white**	2 m
L69XA00WX	ALUMINIUM PROFILE XL-LINE INDIRECT white**	3 m
L69XA00WZ	ALUMINIUM PROFILE XL-LINE INDIRECT white**	per meter (max. 3 m)*
L69XA00B	ALUMINIUM PROFILE XL-LINE INDIRECT black***	2 m
L69XA00BX	ALUMINIUM PROFILE XL-LINE INDIRECT black***	3 m
L69XA00BZ	ALUMINIUM PROFILE XL-LINE INDIRECT black***	per meter (max. 3 m)*
L69XSBS	ALUMINIUM SLIDING BASE XL-LINE HSB	2 m
L69XSBSZ	ALUMINIUM SLIDING BASE XL-LINE HSB	per meter (max. 2 m)*
L69XSBSW	ALUMINIUM SLIDING BASE XL-LINE HSB white**	2 m
L69XSBSWZ	ALUMINIUM SLIDING BASE XL-LINE HSB white**	per meter (max. 2 m)*
L69XSBX	ALUMINIUM SLIDING BASE XL-LINE XSB	2 m
L69XSBXZ	ALUMINIUM SLIDING BASE XL-LINE XSB	per meter (max. 2 m)*
L69XSBXW	ALUMINIUM SLIDING BASE XL-LINE XSB white**	2 m

order code	description	length
L69XSBXWZ	ALUMINIUM SLIDING BASE XL-LINE XSB white**	per meter (max. 2 m)*
L69XSR	ALUMINIUM SLIDING REFLECTOR XL-LINE	2 m
L69XSRZ	ALUMINIUM SLIDING REFLECTOR XL-LINE	per meter (max. 2 m)*
L690007	CONNECTOR 24 LINEAR	-
L690008	CONNECTOR 24 90°	-
L690010	CONNECTOR 24 120°	-
L690011	CONNECTOR 24 135°	-
L690012	CONNECTOR 24 VERTICAL 90°	-
L690017	CONNECTOR 24 ADJUSTABLE (angle adjustable)	-
L69X000	STEEL CABLE SUSPENSION KIT XL+L	-
L69XA00E	ALUMINIUM END CAP FLAT XL-LINE INDIRECT	-
L69XA00EW	ALUMINIUM END CAP FLAT XL-LINE INDIRECT white**	-
L69XA00EB	ALUMINIUM END CAP FLAT XL-LINE INDIRECT black***	-

*Custom Length / **white RAL 9016 / ***black similar to RAL 9005

MEMBER OF THE PROLED GROUP