## 745 - Oblò J 2.0 - EM 1h

Code: 112600-0728





Oblò J 2.0 is Disano's new easy-to-install wall/ceiling light fixture featuring an extremely resistant self-extinguishing polycarbonate housing (IK07) with a greater degree of protection (IP65) and double insulation. It comprises high-efficiency LED sources that ensure notable energy savings.

Its minimalist and compact design makes it suitable for any outdoor application, especially balconies, porches, and terraces, as well as for indoor use, such as condominium staircases, landings, and common areas. This ceiling fixture has colour temperatures of 3000K and 4000K and a high colour rendering index (CRI≥80), guaranteeing effective, pleasant, and safe lighting.




		GENERAL INFORMATION
Article	745 - Oblò J 2.0 - EM 1h	
Code	112600-0728	
		DIMENSIONS AND WEIGHT
Height (mm)	63 mm	
Diameter (Ø) (mm)	280 mm	
Weight (Kg)	1.250 kg	
	ELECTRIC	CAL CHARACTERISTICS AND CONTROLS
Voltage (V)	230 V	
Frequency (Hz)	50 Hz	
Wiring	CLD-E	
Power factor	>0.9	
Insulation class	Class II	
Controllability	None	



## 745 - Oblò J 2.0 - EM 1h

Code: 112600-0728



Distribution type	Plafone	
Lighting source	LED	
CRI	≥80	
Luminous flux (output) (lm)	1863 lm	
Power absorption (total) (W)	19 W	
ССТ	3000 K	
Luminous efficacy (lm/W)	98 lm/W	
LED flux maintenance	50000 hr, L 80, B 20	
		MECHANICAL CHARACTERISTICS


PHOTOMETRIC DATA

## Impact resistance rating (IK) IK07 IP 65





Code: 112600-0728



M.	ATE	ERI/	LS	AND	CO	LOL	JRS
----	-----	------	----	-----	----	-----	-----

WARRANTY

Housing	vandal-resistant, self-extinguishing polycarbonate.	
Diffuser	In clear polycarbonate, anti-dazzle, vandal resistant.	
Colour	White	
Equipment	supplied with bracket for ceiling/wall installation.	
	EMERGENCY LIGHTING	
Battery life-recharge	1h	
	STANDARDS AND COMPLIANCE	
Photobiological safety class	RG0	
Markings and tests	CE, ENEC	
Reference standards	EN 60598-1. They have a degree of protection according to the EN 60529 standard.	

## DOWNLOAD

After sales warranty

5 yr

AssemblyInstructions 745 10-22.pdf

**DESIGNS** 

TechnicalDrawing obloj.dxf



