



# TWSE103 Convector

Thermowarm 300W, 230V~

Item number: 153395

**Robust convector with smart functions**

Thermowarm TWS is a series of robust convectors with smart control designed for industrial and public buildings, such as changing rooms, stores and toilets. TWSC can also be used in corrosive and aggressive environments. TWS200 has a surface temperature as low as 60°C, which makes it ideal for daycare centres and bathrooms. Thanks to its smart control, including several weekly programmes, the convector automatically adapts to its surroundings as well as consuming less energy.

Thermowarm is easy to position and has, despite its small size, a large heat output. The three different surface finishes: white, grey covered panel covered and stainless steel, make Thermowarm suitable for most environments.



## Technical parameters

Nominal data		
Color casing	Traffic white	
Color casing, RAL	RAL 9016	
Enclosure class	IP44	
Dimensions and weights		
Width	333	mm
Height	208	mm
Depth	123	mm
Weight	2	kg
Electric heat		
Heat output	0.3	kW
Heat amperage	1.3	A
Heat voltage	230	V
Phases	1~	

Water data	
Heating	Electric
Heat output	0.3 kW

## Accessories

- TWSL12 Protection cover, Kit (212066)

## Documents

- Catalogue pages TWS
- Manual TWS
- Declaration of Conformity TWS
- UKCA Declaration TWS